CANADIAN GEOTECHNICAL JOURNAL

REVUE CANADIENNE DE GÉOTECHNIQUE

# Erratum
## Author Index / Index des auteurs
## VOLUME 25, 1988

The authors of manuscripts published in the November 1988 issue of the *Canadian Geotechnical Journal* were not included in the Author Index published in that issue. The entire Author Index for Volume 25 is therefore reprinted below.

Les noms des auteurs des articles du numéro de novembre 1988 de la *Revue canadienne de géotechnique* n'ont pas été inclus dans l'*Index cumulatif de la Revue canadienne de géotechnique (1963–1988)*. L'index des auteurs de ce numéro est donné ci-dessous.

**Abelev, M.Y.** see Montes, P., 176
**Abelev, Y.M.** see Montes, P., 176
**Afrouz, A., Hassani, F.P., and Scoble, M.J.** The performance of longwall gate roads with soft floors, 279
**Alkins, J.C.** see Landva, A.O., 138
**Anderson, M.G.** see Lew, K.V., 634
**Andrews, M.** see Graham, J., 238
**Arroyo, R., and Sagaseta, C.** Undrained shear strength in the surficial weathered crust: Discussion, 173
**Ashour, H.A.** A compressive strength criterion for anisotropic rock materials, 233
**Asselin, R.** see Lafleur, J., 705
**Atkinson, J.H., and Little, J.A.** Undrained triaxial strength and stress–strain characteristics of a glacial till soil, 428
**Auger, L.F.** see Lau, J.S.O., 844
**Avramidis, A.S.** see Saxena, S.K., 353
**Baikie, L.D.** Casagrande resistance envelopes for rock and rockfill slopes having circular clip surfaces, 42
**Baldi, G., Hueckel, T., and Pellegrini, R.** Thermal volume changes of the mineral–water system in low-porosity clay soils, 807
**Banerjee, P.K., Kumbhojkar, A.S., and Yousif, N.B.** Finite element analysis of the stability of a vertical cut using an anisotropic soil model, 119
**Banerjee, P.K.** see Mitchell, R.J., 408
**Banerjee, P.K.** see Been, K., 408
**Barbour, S.L.** see Wong, D.K.H., 292
**Barone, F.** see Rowe, R.K., 108
**Becker, D.E.** see Jefferies, M.G., 624
**Becker, D.E., Crooks, J.H.A., Been, K., and Jefferies, M.G.** Work as a criterion for determining *in situ* and yield stresses in clays: Reply 848
**Been, K.** Developments in soil mechanics and foundation engineering—2. *Edited by* P. K.Banerjee and R. Butterfield, 408
**Been, K.** see Becker, D.E., 848
**Bisson, J.G.** see Lau, J.S.O., 844
**Brown, P.T.** see Robertson, P.K., 56
**Budhu, M.** Failure state of a sand in simple shear, 395
**Butterfield, R.** see Georgiadis, M., 199
**Butterfield, R.** see Mitchell, R.J., 408
**Butterfield, R.** see Been, K., 408
**Caers, C.J.** see Rowe, R.K., 108
**Campanella, R.G.** see Robertson, P.K., 56
**Chan, H.T.** see Toth, P.S., 694
**Carlson, L.E., and Nixon, J.F. (Derick)** Subsoil investigation of ice lensing at the Calgary, Canada, frost heave test facility, 307
**Chapuis, R.P.** Two case histories of major frost heaving in refrigerated buildings: thermal analyses, repairs, and prevention, 535
**Chapuis, R.P., Silvestri, V., and Soulié, M.** Theoretical bearing capacity of clay under shallow footings: verifying whether it is realistic, 62
**Charalambous, P.D.** see Landva, A.O., 138
**Chen, Z., and Shao, C.** Evaluation of minimum factor of safety in slope stability analysis, 735
**Chow, Y.K., Karunaratne, G.P., Wong, K.Y., and Lee, S.L.** Prediction of load-carrying capacity of driven piles, 13
**Christiansen, E.A.** see Sauer, E.K., 831
**Chudnovsky, A., Saada, A., and Lesser, A.J.** Micromechanisms of deformation in fracture of overconsolidated clays, 213
**Chugh, A.K.** Limit equilibrium method with local factors of safety for slope stability: Discussion, 840
**Chugh, A.K., and Davidson, L.W.** Analysis of foundation settlements at Ridgway Dam, 716
**Clark, J.I., and Guigné, J.Y.** Marine geotechnical engineering in Canada, 179
**Clark, J.I., and Landva, J.** Geotechnical aspects of seabed pits in the Grand Banks area, 448
**Clark, J.I., McKeown, S., and Crawford, C.B.** Field measurements of the behavior of inclined footings on a natural slope, 662
**Collins, D.S.** see Nichols, T.C., Jr., 369
**Cragg, C.B.** see Toth, P.S., 694
**Crawford, C.B.** see Clark, J.I., 662
**Crawford, C.B., and deBoer, L.J.** Field observations of soft clay consolidation in the Fraser Lowland: Reply, 632
**Crooks, J.H.A.** see Jefferies, M.G., 624
**Crooks, J.H.A.** see Becker, D.E., 848
**Cruden, D.M.** Subsurface fracture surveys using a bore-hole television camera and acoustic televiewer: Discussion, 843
**Cruden, D.M., and Eaton, T.M.** Erratum: Reconnaissance of rockslide hazards in Kananaskis Country, Alberta, 411
**Dascal, O.** see Lefebvre, G., 175
**Davidson, L.W.** see Chugh, A.K., 716
**deBoer, L.J.** see Crawford, C.B., 632
**Demers, D.** see Locat, J., 799
**Domaschuk, L.** The permafrost environment. *By* Stuart A. Harris, 409
**Domaschuk, L.** see Kjartanson, B.H., 250
**Dounias, G.T., Potts, D.M., and Vaughan, P.R.** The shear strength of soils containing undulating shear zones—a numerical study, 550
**Duncan, E.J.S.** see Lajtai, E.Z., 262

CANADIAN GEOTECHNICAL JOURNAL

REVUE CANADIENNE DE GÉOTECHNIQUE

# Erratum
## Author Index / Index des auteurs
## VOLUME 25, 1988

The authors of manuscripts published in the November 1988 issue of the *Canadian Geotechnical Journal* were not included in the Author Index published in that issue. The entire Author Index for Volume 25 is therefore reprinted below.

Les noms des auteurs des articles du numéro de novembre 1988 de la *Revue canadienne de géotechnique* n'ont pas été inclus dans l'*Index cumulatif de la Revue canadienne de géotechnique (1963–1988)*. L'index des auteurs de ce numéro est donné ci-dessous.

**Abelev, M.Y.** see Montes, P., 176
**Abelev, Y.M.** see Montes, P., 176
**Afrouz, A., Hassani, F.P., and Scoble, M.J.** The performance of longwall gate roads with soft floors, 279
**Alkins, J.C.** see Landva, A.O., 138
**Anderson, M.G.** see Lew, K.V., 634
**Andrews, M.** see Graham, J., 238
**Arroyo, R., and Sagaseta, C.** Undrained shear strength in the surficial weathered crust: Discussion, 173
**Ashour, H.A.** A compressive strength criterion for anisotropic rock materials, 233
**Asselin, R.** see Lafleur, J., 705
**Atkinson, J.H., and Little, J.A.** Undrained triaxial strength and stress–strain characteristics of a glacial till soil, 428
**Auger, L.F.** see Lau, J.S.O., 844
**Avramidis, A.S.** see Saxena, S.K., 353
**Baikie, L.D.** Casagrande resistance envelopes for rock and rockfill slopes having circular clip surfaces, 42
**Baldi, G., Hueckel, T., and Pellegrini, R.** Thermal volume changes of the mineral–water system in low-porosity clay soils, 807
**Banerjee, P.K., Kumbhojkar, A.S., and Yousif, N.B.** Finite element analysis of the stability of a vertical cut using an anisotropic soil model, 119
**Banerjee, P.K.** see Mitchell, R.J., 408
**Banerjee, P.K.** see Been, K., 408
**Barbour, S.L.** see Wong, D.K.H., 292
**Barone, F.** see Rowe, R.K., 108
**Becker, D.E.** see Jefferies, M.G., 624
**Becker, D.E., Crooks, J.H.A., Been, K., and Jefferies, M.G.** Work as a criterion for determining *in situ* and yield stresses in clays: Reply 848
**Been, K.** Developments in soil mechanics and foundation engineering—2. *Edited by* P. K.Banerjee and R. Butterfield, 408
**Been, K.** see Becker, D.E., 848
**Bisson, J.G.** see Lau, J.S.O., 844
**Brown, P.T.** see Robertson, P.K., 56
**Budhu, M.** Failure state of a sand in simple shear, 395
**Butterfield, R.** see Georgiadis, M., 199
**Butterfield, R.** see Mitchell, R.J., 408
**Butterfield, R.** see Been, K., 408
**Caers, C.J.** see Rowe, R.K., 108
**Campanella, R.G.** see Robertson, P.K., 56
**Chan, H.T.** see Toth, P.S., 694
**Carlson, L.E., and Nixon, J.F. (Derick)** Subsoil investigation of ice lensing at the Calgary, Canada, frost heave test facility, 307
**Chapuis, R.P.** Two case histories of major frost heaving in refrigerated buildings: thermal analyses, repairs, and prevention, 535
**Chapuis, R.P., Silvestri, V., and Soulié, M.** Theoretical bearing capacity of clay under shallow footings: verifying whether it is realistic, 62
**Charalambous, P.D.** see Landva, A.O., 138
**Chen, Z., and Shao, C.** Evaluation of minimum factor of safety in slope stability analysis, 735
**Chow, Y.K., Karunaratne, G.P., Wong, K.Y., and Lee, S.L.** Prediction of load-carrying capacity of driven piles, 13
**Christiansen, E.A.** see Sauer, E.K., 831
**Chudnovsky, A., Saada, A., and Lesser, A.J.** Micromechanisms of deformation in fracture of overconsolidated clays, 213
**Chugh, A.K.** Limit equilibrium method with local factors of safety for slope stability: Discussion, 840
**Chugh, A.K., and Davidson, L.W.** Analysis of foundation settlements at Ridgway Dam, 716
**Clark, J.I., and Guigné, J.Y.** Marine geotechnical engineering in Canada, 179
**Clark, J.I., and Landva, J.** Geotechnical aspects of seabed pits in the Grand Banks area, 448
**Clark, J.I., McKeown, S., and Crawford, C.B.** Field measurements of the behavior of inclined footings on a natural slope, 662
**Collins, D.S.** see Nichols, T.C., Jr., 369
**Cragg, C.B.** see Toth, P.S., 694
**Crawford, C.B.** see Clark, J.I., 662
**Crawford, C.B., and deBoer, L.J.** Field observations of soft clay consolidation in the Fraser Lowland: Reply, 632
**Crooks, J.H.A.** see Jefferies, M.G., 624
**Crooks, J.H.A.** see Becker, D.E., 848
**Cruden, D.M.** Subsurface fracture surveys using a bore-hole television camera and acoustic televiewer: Discussion, 843
**Cruden, D.M., and Eaton, T.M.** Erratum: Reconnaissance of rockslide hazards in Kananaskis Country, Alberta, 411
**Dascal, O.** see Lefebvre, G., 175
**Davidson, L.W.** see Chugh, A.K., 716
**deBoer, L.J.** see Crawford, C.B., 632
**Demers, D.** see Locat, J., 799
**Domaschuk, L.** The permafrost environment. *By* Stuart A. Harris, 409
**Domaschuk, L.** see Kjartanson, B.H., 250
**Dounias, G.T., Potts, D.M., and Vaughan, P.R.** The shear strength of soils containing undulating shear zones—a numerical study, 550
**Duncan, E.J.S.** see Lajtai, E.Z., 262

**Dyke, L., and Egginton, P.** Till behavior and its relationship to active-layer hydrology, District of Keewatin, Northwest Territories, 167
**Eaton, T.M.** see Cruden, D.M., 411
**Egginton, P.** see Dyke, L., 167
**Elton, J.J.** see Sumer, S.M., 684
**Eyles, N., and Howard, K.W.F.** A hydrochemical study of urban landslides caused by heavy rain: Scarborough Bluffs, Ontario, Canada, 455
**Fair, A.E.** see Morgenstern, N.R., 637
**Feng, T.W.** see Mesri, G., 621
**Fernandez, F., and Quigley, R.M.** Viscosity and dielectric constant controls on the hydraulic conductivity of clayey soils permeated with water-soluble organics, 582
**Fernandez, F.** see Quigley, R.M., 574
**Finlay, T.W.** see Ponniah, D.A., 374
**Finn, W.D.L., and Nichols, A.M.** Seismic response of long-period sites: lessons from the September 19, 1985, Mexican earthquake, 128
**Fleureau, J.-M., Wignyodarsono, L., and Zerhouni, M.-I.** Effect of surfactants on the mechanical properties of a kaolinite in relation to the solid–liquid contact angles, 675
**Frederking, R.** see Sayed, M., 726
**Fredlund, D.G.** see Wong, D.K.H., 292
**Fredlund, D.G.** see Gan, J.K.M., 500
**Freeze, A.** Modeling groundwater flow and pollution. *By* Jacob Bear and Arnold Veruijt, 851
**Gan, J.K.M., Fredlund, D.G., and Rahardjo, H.** Determination of the shear strength parameters of an unsaturated soil using the direct shear test, 500
**Garga, V.K.** Effect of sample size on consolidation of a fissured clay, 76
**Garga, V.K.** Effect of sample size on shear strength of basaltic residual soils, 478
**Ghazali, F.M., Sotiropoulos, E., and Mansour, O.A.** Large-diameter bored and grouted piles in marine sediments of the Red Sea, 826
**Georgiadis, M., and Butterfield, R.** Displacements of footings on sand under eccentric and inclined loads, 199
**Graham, J., Andrews, M., and Shields, D.H.** Stress characteristics for shallow footings in cohesionless slopes, 238
**Gray, J.T., Pilon, J., and Poitevin, J.** A method to estimate active-layer thickness on the basis of correlations between terrain and climatic parameters as measured in northern Quebec, 607
**Griffiths, D.V.** Numerical studies of soil–structure interaction using a simple interface model, 158
**Griffiths, F.J.** see Houlsby, G.T., 633
**Guigné, J.Y.** see Clark, J.I., 179
**Han, Y., and Novak, M.** Dynamic behaviour of single piles under strong harmonic excitation, 523
**Harris, S.A.** see Domaschuk, L., 409
**Hassani, F.P.** see Afrouz, A., 279
**Hill, P.R.** see Jefferies, M.G., 624
**Houlsby, G.T.** Prediction and performance in geotechnical engineering. *Edited by* R. C. Joshi and F. J. Griffiths, 633
**Howard, K.W.F.** see Eyles, N., 455
**Hueckel, T.** see Baldi, G., 807
**Hutter, K.** see Vulliet, L., 467
**Ismael, N.F., Jeragh, A.M., Khalidi, O.A., and Mollah, M.A.** Correlation between standard penetration test values and overburden pressure for desert sands, 590
**Jefferies, M.G.** Determination of horizontal geostatic stress in clay with self-bored pressuremeter, 559
**Jefferies, M.G., Crooks, J.H.A., Becker, D.E., and Hill, P.R.** Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Reply, 624
**Jefferies, M.G.** see Becker, D.E., 848
**Jeragh, A.M.** see Ismael, N.F., 590
**Joshi, R.C.** see Sharma, H.D., 222
**Joshi, R.C.** see Houlsby, G.T., 633
**Joshi, R.C.** see Sladen, J.A., 768
**Juárez-Badillo, E.** Postsurcharge secondary compression equation for clays, 594
**Juárez-Badillo, E.** Field observations of soft clay consolidation in the Fraser Lowland: Discussion, 631
**Kaiser, P.K.** see Wong, R.C.K., 320
**Kaiser, P.K.** see Wong, R.C.K., 338
**Karunaratne, G.P.** see Chow, Y.K., 13
**Khalidi, O.A.** see Ismael, N.F., 590
**King, K.W.** see Nichols, T.C., Jr., 369
**Kjartanson, B.H., Shields, D.H., Domaschuk, L., and Man, C.-S.** The creep of ice measured with the pressuremeter, 250
**Kulhawy, F.H.** see Mayne, P.W., 617
**Kumbhojkar, A.S.** see Banerjee, P.K., 119
**Lafleur, J., Silvestri, V., Asselin, R., and Soulié, M.** Behaviour of a test excavation in soft Champlain Sea clay, 705
**Lajtai, E.Z., and Duncan, E.J.S.** The mechanism of deformation and fracture in potash rock, 262
**Landva, A.O., Valsangkar, A.J., Alkins, J.C., and Charalambous, P.D.** Performance of a raft foundation supporting a multistorey structure, 138
**Landva, J.** see Clark, J.I., 448
**Lansdown, A.M.** Down to earth—Foundations past and present: the invisible art of the builder. *By* Jean Kerisel, 853
**La Rochelle, P., Tavenas, F., et Leroueil, S.** Les argiles de l'est du Canada et leur contribution à la compréhension du comportement de l'argile, 413
**Lau, J.S.O., Auger, L.F., and Bisson, J.G.** Subsurface fracture surveys using a borehole television camera and acoustic televiewer: Reply, 844
**Lee, S.L.** see Chow, Y.K., 13
**Lefebvre, G., and Malenfant, S.** Cyclic shear strength of a loose glacial till, 401
**Lefebvre, G., Paré, J.-J., and Dascal, O.** Undrained shear strength in the surficial weathered crust: Reply, 175
**Legget, R.F.** Thomas Roy and his "Remarks on road-making" (1841), 1
**Leroueil, S.** Tenth Canadian Geotechnical Colloquium: Recent developments in consolidation of natural clays, 85
**Leroueil, S.** see Locat, J., 382
**Leroueil, S.** see La Rochelle, P., 413
**Lesser, A.J.** see Chudnovsky, A., 213
**Lew, K.V.** Slope stability: geotechnical engineering and geomorphology. *Edited by* M. G. Anderson and K. S. Richards, 634
**Li, L., and Mitchell, R.** Effects of reinforcing elements on the behavior of weakly cemented sands, 389
**Little, J.A.** see Atkinson, J.H., 428
**Locat, J., and Demers, D.** Viscosity, yield stress, remolded strength, and liquidity index relationships for sensitive clays, 799
**Locat, J., and Leroueil, S.** Physicochemical and geotechnical characteristics of recent Saguenay Fjord sediments, 382
**Mair, R.J.** see Shields, D.H., 634
**Malenfant, S.** see Lefebvre, G., 401
**Man, C.-S.** see Kjartanson, B.H., 250
**Mansour, O.A.** see Ghazali, F.M., 826

**Mayne, P.W., and Kulhawy, F.H.** Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion, 617

**Mayne, P.W., and Mitchell, J.K.** Profiling of overconsolidation ratio in clays by field vane, 150

**McKeown, S.** see Clark, J.I., 662

**McRoberts, E.C.** see Morgenstern, N.R., 637

**McRostie, G.** Ground engineer's reference book. *Edited by* F. G. Bell, 852

**Mesri, G., and Feng, T.W.** Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion, 621

**Meyerhof, G.G., Sastry, V.V.R.N., and Yalcin, A.S.** Lateral resistance and deflection of flexible piles, 511

**Mitchell, J.K.** see Mayne, P.W., 150

**Mitchell, R.** see Li, L., 389

**Mitchell, R.J.** Developments in soil mechanics and foundation engineering—1. *Edited by* R. K. Banerjee and R. Butterfield, 408

**Mollah, M.A.** see Ismael, N.F., 590

**Mollard, J.D.** First R. M. Hardy Memorial Lecture: Fracture lineament research and applications on the western Canadian plains, 749

**Montes, P.** Bases de l'élaboration des projets et de la construction sur les sols loessiques affaissables (Traduction française de la 3$^{e}$ édition russe (1979)). *Par* Yu M. Abelev et M. Yu Abelev, 176

**Morgenstern, N.R., Fair, A.E., and McRoberts, E.C.** Geotechnical engineering beyond soil mechanics—a case study, 637

**Morin, P.** Density of granular materials derived from X-ray photographs: calibration, reliability, and recommended procedures, 488

**Morin, P.** Work as a criterion for determining *in situ* and yield stresses in clays: Discussion, 845

**Mourato, D.** see Yong, R.N., 599

**Nasmith, H.W.** see Seychuk, J.L., 177

**Negussey, D., Wijewickreme, W.K.D., and Vaid, Y.P.** Constant-volume friction angle of granular materials, 50

**Nichols, A.M.** see Finn, W.D.L., 128

**Nichols, T.C., Jr., King, K.W., Collins, D.S., and Williams, R.A.** Seismic-reflection technique used to verify shallow rebound fracture zones in the Pierre Shale of South Dakota, 369

**Nixon, J.F.(D.)** Pile load tests in saline permafrost at Clyde River, Northwest Territories, 24

**Nixon, J.F.(D.)** see Carlson, L.E., 307

**Novak, M.** see Han, Y., 523

**Oda, M.** A method for evaluating the representative elementary volume based on joint survey of rock masses, 440

**Oswell, J.M.** see Sladen, J.A., 541

**Paré, J.-J.** see Lefebvre, G., 175

**Pellegrini, R.D.** see Baldi, G., 807

**Pilon, J.** see Gray, J.T., 607

**Poitevin, J.** see Gray, J.T., 607

**Ponniah, D.A., and Finlay, T.W.** Cyclic behaviour of plate anchors, 374

**Potts, D.M.** see Dounias, G.T., 550

**Quigley, R.M., Fernandez, F., and Rowe, R.K.** Clayey barrier assessment for impoundment of domestic waste leachate (southern Ontario) including clay–leachate compatibility by hydraulic conductivity testing, 574

**Quigley, R.M.** see Fernandez, F., 582

**Rahardjo, H.** see Gan, J.K.M., 500

**Reddy, K.R.** see Saxena, S.K., 353

**Richards, K.S.** see Lew, K.V., 634

**Robertson, P.K., Campanella, R.G., Brown, P.T., and Robinson, K.E.** Prediction of wick drain performance using piezometer cone data, 56

**Robinson, K.E.** see Robertson, P.K., 56

**Rogers, C.A.** Aggregates: sand, gravel, and crushed rock aggregates for construction purposes. *Edited by* L. Collis and R. A. Fox, 854

**Rowe, R.K.** Eleventh Canadian Geotechnical Colloquium: Contaminant migration through groundwater—the role of modelling in the design of barriers, 778

**Rowe, R.K., Caers, C.J., and Barone, F.** Laboratory determination of diffusion and distribution coefficients of contaminants using undisturbed clayey soil, 108

**Rowe, R.K.** see Quigley, R.M., 574

**Saada, A.** see Chudnovsky, A., 213

**Sagaseta, C.** see Arroyo, R., 173

**Sastry, V.V.R.N.** see Meyerhof, G.G., 511

**Sauer, E.K., and Christiansen, E.A.** Preconsolidation pressures in intertill glaciolacustrine clay near Blaine Lake, Saskatchewan, 831

**Saxena, S.K., Avramidis, A.S., and Reddy, K.R.** Dynamic moduli and damping ratios for cemented sands at low strains, 353

**Sayed, M., Frederking, R., and Wessels, E.** Field measurements of stresses and deformations in a first-year ice cover adjacent to a wide structure, 726

**Scoble, M.J.** see Afrouz, A., 279

**Seychuk, J.L.** Suit is a four letter word. *By* Hugh W. Nasmith, 177

**Shao, C.** see Chen, Z., 735

**Sharma, H.D., and Joshi, R.C.** Drilled pile behaviour in granular deposits, 222

**Shen, M.** Numerical analysis of temperature field in a thawing embankment in permafrost, 163

**Shields, D.H.** Pressuremeter testing: methods and interpretation. *By* R. J. Mair and D. M. Wood, 634

**Shields, D.H.** see Graham, J., 238

**Shields, D.H.** see Kjartanson, B.H., 250

**Silvestri, V.** see Chapuis, R.P., 62

**Silvestri, V.** see Lafleur, J., 705

**Sladen, J.A., and Joshi, R.C.** Mining subsidence in Lethbridge, Alberta, 768

**Sladen, J.A., and Oswell, J.M.** The induced trench method—a critical review and case history, 541

**Sotiropoulos, E.** see Ghazali, F.M., 826

**Soulié, M.** see Chapuis, R.P., 62

**Soulié, M.** see Lafleur, J., 705

**Sumer, S.M., Elton, J.J., and Tapics, J.A.** Dewatering optimization using a groundwater flow model at the Whitewood open-pit coal mine, Alberta, 684

**Srbulov, M.M.** Limit equilibrium method with local factors of safety for slope stability: Reply, 842

**Tapics, J.A.** see Sumer, S.M., 684

**Tavenas, F.** see La Rochelle, P., 413

**Toth, P.S., Chan, H.T., and Cragg, C.B.** Coal ash as structural fill, with special reference to Ontario experience, 694

**Vaid, Y.P.** see Negussey, D., 50

**Valsangkar, A.J.** see Landva, A.O., 138

**Vaughan, P.R.** see Dounias, G.T., 550

**Vucetic, M.** Normalized behavior of offshore clay under uniform cyclic loading, 33

**Vulliet, L., and Hutter, K.** Viscous-type sliding laws for landslides, 467

**Wessels, E.** see Sayed, M., 726
**Wignyodarsono, L.** see Fleureau, J.-M., 675
**Wijewickreme, W.K.D.** see Negussey, D., 50
**Williams, R.A.** see Nichols, T.C., Jr., 369
**Wong, D.K.H., Barbour, S.L., and Fredlund, D.G.** Modelling of flow through potash tailings piles, 292
**Wong, K.Y.** see Chow, Y.K., 13
**Wong, R.C.K., and Kaiser, P.K.** Design and performance evaluation of vertical shafts: rational shaft design method and verification of design method, 320
**Wong, R.C.K., and Kaiser, P.K.** Behaviour of vertical shafts: re-evaluation of model test results and evaluation of field measurements, 338
**Wood, D.M.** see Shields, D.H., 634
**Yalcin, A.S.** see Meyerhof, G. G., 511
**Yong, R.N., and Mourato, D.** Extraction and characterization of organics from two Champlain Sea subsurface soils, 599
**Yousif, N.B.** see Banerjee, P.K., 119
**Zerhouni, M.-I.** see Fleureau, J.-M., 675